


CLINICAL
EEG
ELECTROENCEPHALOGRAPHY



Author and Subject Index
Volume 22, 1991

Index of Authors

- Alfonsi, E., 193
 Bentin, S., 102
 Bernad, Peter G., 65, 203
 Bogner, Janet E., 250
 Bono, G., 193
 Boutros, Nashaat N., 40
 Breen, Lenore, 108
 Brick, John F., 108
 Cannon, Patricia A., 144
 Cenić, Desanka, 183
 Cheek, J. Christopher, 108
 Cooper, Robert, 112
 Date, Elaine S., 236
 Deshmukh, Vinod D., 46, 225
 Drake, Miles E. Jr., 97, 127, 144, 188, 250
 Ellingson, Robert J., 141
 Elovaara, Irina, 131
 Fino, J.J., 128, 150
 Fitz-Gerald, Mary J., 217
 Flanigin, H.F., 211
 Gallagher, B.B., 211
 Ganellen, Ronald, 178
 Gibbs, Frederick A., 4:XIII
 Gorelick, Philip B., 178
 Gottlieb, D., 102
 Grass, Ellen R., 2:X
 Guterman, Burte, 13
 Gutierrez, Alvaro R., 108
 Heath, Robert G., 62
 Hemmerle, Anna Vere, 199
 Hier, Daniel B., 178
 Hietter, Sharon A., 97, 250
 Hokkanen, Laura, 131
 Holmes, Gregory L., 211
 Hughes, C.A., 30
 Hughes, John R., 30, 62, 71, 128, 150
 Iivanainen, Matti, 131
 Itil, Turan M., 128
 Jacome, Daniel E., 172
 King, Don W., 211
 Kuhlman, D.T., 30
 Lähdevirta, Juhani, 131
 LaMancusa, Joseph, 112
 Lekić, D., 183
 Lević, Z., 183
 Mangone, Carlos A., 178
 Maserati, Renato, 1
 Millichap, J. Gordon, 5, 4:XIII
 Minoli, Lorenzo, 1
 Moglia, A., 193
 Murro, A.M., 211
 Nappi, G., 193
 Niedermeyer, E., 75, 83, 161
 Nogueira de Melo, Aurea, 75, 161
 Nowack, William J., 63
 Ortega, H. Rick, 236
 Overall, J., 40
 Padamadan, Hosi, 97, 144, 250
 Pakalnis, Ann, 97, 144, 188
 Pan, Angelo, 1
 Parisi, Aldo, 1
 Patrick, Gloria, 217
 Perlik, Stuart J., 178
 Phillips, Barbara, 97, 188
 Rappaport, Mary Lou, 199
 Rappaport, Maurice, 199, 236
 Reilly, Edward L., 63
 Rodin, E. A., 23
 Rondanelli, E. G., 193
 Saar, Pekka, 131
 Smith, J. R., 211
 Stojasavljevic, N., 183
 Strosselli, Maurizio, 1
 Synek, V. M., 118, 4:X
 Taber, J. E., 128, 150
 Trubuhovich, R. V., 118
 Tsambis, Elias, 129
 Tsao, Chang Y., 141
 Valle, Sirkka-Liisa, 131
 Van Egeren, Richard, 178
 Vieth, Robert, 112
 Warach, Joshua D., 178
 Weate, Steven M., 144
 Weig, Spencer, 13
 Wertman, E., 102
 Wheless, James W., 211
 Wright, Francis, 112, 141
 Zandrini, C., 193
 Zaret, Bruce S., 13
 Zouridakis, G., 40

Index of Subjects

- Absence seizures** and, crossover phenomena in epileptic syndromes in childhood, 75-82
 —EEG correlates, 127-128
 —language-apparent reflex epilepsy, 172-177
 —secondary temporalization, 161-171
- Acquired Immunodeficiency Syndrome (AIDS)** and, EEG anterior dysrhythmicity of low maximal amplitude in early HIV-1 infection, 131-140
 —HIV-related encephalitis presenting as convulsant disease, 1-4
 —neurological and EEG changes, 65-70
 —neurophysiological markers of CNS/PNS involvement in HIV-infection, 193-198
- Activation**, EEG, and language-apparent reflex epilepsy, 172-177
 —routine recordings, 63-64
 —temporal lobe third rhythm, with music, 83-96
- Alpha activity** and, acute CO exposure, 217-224
 —neurologically normal neonates, 13-22
 —problems in the clinical use of topographic EEG analysis, 23-29
 —spikes and spike-free epochs on brain maps 150-160
 —third rhythm, further observations, 83-96
 —Tourette syndrome, 250-253
- Alzheimer's disease** and, P300 measurement, in evaluation of dementia and pseudodementia, 102-107
 —quantitative measurement of delta activity, 178-182
 —transient appearance of periodic EEG discharges, 108-111
- Amplitude**, EEG, and, early HIV-1 infection, 131-140
 —effects of barbiturate blood levels on electrocerebral silence in clinically brain dead children, 112-117
- Anterior temporal localization** and, clinical usefulness of extra electrodes, 63
 —crossover phenomena in epileptic syndromes of childhood, spikes, 75-82
 —lobectomy followed by thalamic stroke with PLEDs, 211-216
 —See also Temporal localization
- Antiepileptic drugs** and, febrile seizures, 5-12
 —sleep spindles, 144-149
- Antihistamines** and, management of febrile seizures, 5-12
- Anxiety disorder** and, AEP, 97-101
- Archencephalon** and, physiological classification of sleep-wake states, 225-235
- Arousal** and, limbic autonomic arousal, physiological classification and review of the literature, 46-61
 —physiological classification of sleep-wake states, 225-235
- Asphyxia** and, barbiturate blood levels in clinically brain-dead children, 112-117
- Auditory evoked potential (AEP)** and, anxiety disorder, 97-101
 —borderline personality disorder, 188-192
 —P50 findings in schizophrenia, 40-45
 —P300 measurement of dementia and pseudodementia, 102-107
 —tooth pulp EP in multiple sclerosis, 183-187
 —traumatic brain injury patients, short and long latency, 199-202
- Autonomic nervous system** and, arousal, physiological classification and review of the literature, 46-61
- Barbiturates** and, blood levels, effect on electrocerebral silence in clinically brain-dead children, 112-117
- Behavioral symptoms** and, closed head injury, 203-210
 —sleep spindles in epilepsy, 144-149
 —See also Personality disorder
- Beta activity** and, acute CO exposure, 217-224
 —neurologically normal neonates, 13-22
 —spikes and spike-free epochs on brain maps, 150-160
- Bifid scalp SEP** and, coma, 118-126
 —See also Somatosensory evoked potential
- Book Review**, Progress in Pediatric Neurology, 4:XIII
- Brachial plexus injury** and, dermatomal SEP, 236-249
 —SEP in coma, 118-126
- Brain death** and, effects of falling therapeutic and subtherapeutic barbiturate blood levels, 112-117
 —SEP in coma, 118-126
- Brain mapping**, See Topographic brain mapping
- Brainstem auditory evoked response (BAER)**, See Auditory evoked potential
- Breach rhythm** and, third rhythm, 83-96
- Breathing patterns** and, limbic autonomic arousal, 46-61
 —physiological classification of sleep-wake states, 225-235
- Carbamazepine** and, sleep spindles in epilepsy, 144-149
- Carbon monoxide** and, longitudinal quantitative EEG findings after acute CO exposure, 217-224
- Central localization** and, crossover phenomena in epileptic syndromes in childhood, spikes, 75-82
 —neurologically normal neonates, 13-22

- sharp waves in premature infants, 30-39
- Central nervous system involvement** and, HIV-infection, neurophysiological markers, 193-198
- Cervical cord injury** and, SEP in coma, 118-126
- Children** and, brain death, effect of falling therapeutic and subtherapeutic barbiturate blood levels on electrocerebral silence, 112-117
 - crossover phenomena in epileptic syndromes, 75-82
 - midline EEG activity in neurologically normal neonates, 13-22
 - Progress in Pediatric Neurology, book review, 4:XIII
 - recovery from vegetative state, with normal SEP, 141-143
 - sharp waves on the temporal and central areas in premature infants, 30-39
- Closed head injury** and, neurodiagnostic testing in patients, 203-210
 - See also Traumatic brain injury
- Cognitive symptoms** and, closed head injury, 203-210
 - early HIV-1 infection, 131-140
 - P300 measurement in dementia and pseudodementia, 102-107
 - recovery from persistent vegetative state in a child with normal SEP, 141-143
 - reflex epilepsy, 172-177
 - third rhythm, 83-96
 - See also Dementia and Memory
- Coma** and, abnormalities of SEP, 118-126
 - EEG patterns in coma grading scale, 4:X
 - recovery of cognition in a child with persistent vegetative state, with normal SEP after near-drowning, 141-143
- Complex partial seizures** and, EEG correlates, 127-128
 - problems in topographic EEG analysis, 23-29
 - secondary temporalization, 161-171
 - sleep spindles in epilepsy, 144-149
 - thalamic stroke, lobectomy, and PLEDs, 211-216
 - third rhythm in the temporal lobe, 83-96
- Computerized EEG**, See Quantitative EEG, Spectral analysis and Topographic brain mapping
- Concussion** and, neurodiagnostic testing in closed head injury, 203-210
- Creutzfeld-Jakob disease** and, periodic EEG discharges in senile dementia, 108-111
- Crossover phenomena** and, epileptic syndromes of childhood, 75-82
- Delta activity** and, acute CO exposure, 217-224
 - neurologically normal neonates, delta brush, 13-22
 - problems in topographic EEG analysis, 23-29
 - quantitative measurement in Alzheimer's disease, 178-182
 - spikes and spike-free epochs on brain maps, 150-160
 - See also Slow activity
- Dementia** and, AIDS, 193-198
 - delta activity in Alzheimer's disease, 178-182
 - passive listening and task related P300 measurement, 102-107
 - transient appearance of periodic EEG discharges, 108-111
- Depression** and, EEG after acute CO exposure, 217-224
 - P300 evaluation of pseudodementia, 102-107
- Depth recording** and, consideration of secondary temporalization, 161-171
 - pleasurable and painful emotional states, 62-63
- Dermatome SEP** and, brachial plexus injuries, 236-249
- Deuteroencephalon** and, physiological classification of sleep-wake states, 225-235
- Diazepam** and, management of febrile seizures, 5-12
- Drowning** and, recovery of cognition from persistent vegetative state in a child with normal SEP following near-drowning, 141-143
- Drugs** and, anticonvulsant therapy and febrile seizures, 5-12
 - C/EEG brain mapping, 128-129
 - effect of falling therapeutic and subtherapeutic barbiturate blood levels on electrocerebral silence in clinically brain-dead children, 112-117
 - sleep spindles in epilepsy, 144-149
- Electrocerebral silence** and, effects of falling therapeutic and subtherapeutic barbiturate blood levels in clinically brain-dead children, 112-117
- Electrodes** and, clinical usefulness of supplementary electrodes, 63
 - correlation between pleasurable and painful emotional states, chronic implanted electrodes, 62-63
 - epidural leads in third rhythm, 83-96
 - problems in clinical use of topographic EEG analysis, reference electrodes, 23-29
- Electroretinography** and, neurodiagnostic testing in patients with closed head injury, 203-210
- Electrophysiological tests** and, HIV-infection, CNS/PNS involvement, 193-198
 - patients with closed head injury, 203-210
- Emotional states** and, anxiety disorder with AEP, 97-101
 - deep electrode EEG recordings, 62-63
 - See also Personality disorder and Psychiatric disorder
- Encephalitis** and, AIDS with neurological and EEG changes, 65-70
 - HIV infection presenting as convulsant disease, 1-4

Epidemiology and, measles, EEG abnormalities, 62

—6/sec spike and wave annual incidence, 71-74

Epilepsy and, crossover phenomena in childhood, 75-82

—EEG correlates, 127-128

—effect of spikes and spike-free epochs on topographic brain maps, 150-160

—febrile seizures, management, current concepts and recommendations for phenobarbital and EEG, 5-12

—Fred and Erna Gibbs lecture, introduction, 2:X

—language-apparent reflex epilepsy, 172-177

—Progress in Pediatric Neurology, book review, 4:XIII

—secondary temporalization, 161-171

—sleep spindles, 144-149

—surgery, PLEDs and thalamic stroke, 211-216

—See also Seizures

Event-related potentials and, anxiety disorder, 97-101

—borderline personality disorder, 188-192

—passive listening and task related P300 measurement for the evaluation of dementia and pseudodementia, 102-107

—See also Evoked potential

Evoked potential and, anxiety disorder, 97-101

—borderline personality disorder, 188-192

—brachial plexus injuries, 236-249

—closed head injury, 203-210

—HIV infection, 193-198

—important abnormalities in recordings of SEP in coma, 118-126

—pseudodementia and dementia, 102-107

—recovery of cognition from persistent vegetative state in a child, 141-143

—replication and extension of P50 findings in schizophrenia, 40-45

—tooth pulp EP in multiple sclerosis, 183-187

—traumatic brain injury patients, 199-202

Exercise and, polygraphic recordings in physiological classification of limbic autonomic arousal, 46-61

—polygraphic recordings in physiological classification of sleep-wake states, 225-235

Fast Fourier Transform and, delta activity in Alzheimer's disease, 178-182

—effect of spikes and spike-free epochs on topographic brain maps, 150-160

—See also Topographic brain mapping

Febrile seizures and, management, current concepts and recommendations for phenobarbital and EEG, 5-12

—EEG correlates, 127, 128

Frontal localization and, closed head injury, 203-210

—HIV-related encephalitis, paroxysmal activity, 1-4

—Tourette syndrome, 250-253

Generalized seizures and, considerations of secondary temporalization, 161-171

—crossover phenomena in childhood, 75-82

—EEG correlates, 127-128

—sleep spindles, 144-149

—See also Seizures

Gibbs lecture, introduction and presentations for Grass Foundation First Annual Fred and Erna Gibbs Lecture, 2:X, 65-74

Grass Foundation, Fred and Erna Gibbs lecture, 2:X, 65-74

Headache and, closed head injury, 203-210

Head trauma and, barbiturate blood levels in clinically brain-dead children, 112-117

—neurodiagnostic testing in patients with closed head injury, 203-210

—SEP in coma, 118-126

—short and long latency auditory evoked potentials, 199-202

Hemorrhage and, sharp waves in premature infants, 30-39

—See also Vascular disorder

Human Immunodeficiency Virus (HIV) and, EEG anterior dysrhythmicity of low maximal amplitude in early HIV-1 infection, 131-140

—encephalitis presenting as convulsant disease, 1-4

—neurological and EEG changes in AIDS, 65-70

—neurophysiological markers of central and peripheral involvement of the nervous system, 193-198

Hyperthermia and, SEP in coma, 118-126

Hypsarrhythmia and, EEG correlates, 127-128

—epidemiology, annual incidence, 71-74

—relationship to measles, 62

Infants and, positive and negative sharp waves in the temporal and central areas in pretermatures, 30-39

—midline EEG activity in neurologically normal neonates, 13-22

Infectious disease and, annual incidence of 6/sec spike and wave, 71-74

—barbiturate blood levels in clinically brain-dead children, 112-117

—EEG abnormalities and measles, 62

—First Annual Fred and Erna Gibbs Lecture, 2:X, 65-74

—See also AIDS, and HIV

Instrumentation and, routine EEG recordings, 63-64

—See also Electrodes

Language-induced seizures and, reflex epilepsy, 172-177

Lennox-Gastaut syndrome and, considerations of secondary temporalization, 161-171

—EEG correlates, 127-128

Letters to the editor, EEG in coma, 4:X

Limbic nervous system and, arousal with physiological classification and review of the

- literature, 46-61
- Long-latency auditory event-related potentials** and, anxiety disorder, 97-101
- See also Evoked potentials
- Measles** and, annual incidence of 6/second spike and wave pattern, 71-74
- EEG abnormalities, 62
- Memory** and, closed head injury, 203-210
- reflex epilepsy, 172-177
- third rhythm, 83-96
- See also Cognitive disorder and Dementia
- Mental retardation** and, recovery of cognition from persistent vegetative state in a child with normal SEP, 141-143
- Midline EEG activity** and, neurologically normal neonates, 13-22
- See also Central localization
- Multiple sclerosis** and, tooth pulp evoked potentials, 183-187
- Musical activation** and, third rhythm, 83-96
- Nasal cycle** and, limbic autonomic arousal, 46-61
- Nasopharyngeal electrodes** and, clinical usefulness of extra electrodes, 63
- Neonates** and, circumscribed midline EEG activity in neurologically normal infants, 13-22
- positive and negative sharp waves in temporal and central areas in prematures, 30-39
- Neurometrics** and, problems in clinical use of topographic EEG analysis, 23-29
- Neuropsychological testing** and, patients with closed head injury, 203-210
- Normal EEG** and, closed head injury, 203-210
- Pain** and, deep electrode EEG recordings, 62-63
- Periodic EEG patterns** and, classification and correlation, 127
- senile dementia, triphasic sharp waves, 108-111
- See also Periodic lateralized epileptiform discharges
- Periodic lateralized epileptiform discharges (PLEDs)** and, coma grading scale, 4:X
- periodic EEG patterns, 127
- thalamic stroke, 211-216
- Peripheral nervous system involvement** and, HIV-infection, neurophysiological markers, 193-198
- Periventricular leukomalacia** and, sharp waves in premature infants, 30-39
- Personality disorder** and, AEP in anxiety disorder, 97-101
- AEP in borderline personality disorder, 188-192
- closed head injury, 203-210
- sleep spindles in epilepsy, 144-149
- See also Psychiatric disorder
- P50** and, findings in schizophrenia, 40-45
- Phenobarbital** and, management of febrile seizures, 5-12
- sleep spindles in epilepsy, 144-149
- Phenytoin** and, sleep spindles in epilepsy, 144-149
- Photosensitive seizures** and, language-apparent reflex epilepsy, 172-177
- Polygraphic EEG recordings** and, neonates, 13-22
- physiological classification of limbic autonomic arousal, 46-61
- sleep-wake states, 225-235
- Polysomnography** and, physiological classification of sleep-wake states, 225-235
- Postconcussion syndrome** and, neurodiagnostic testing in patients with closed head injury, 203-210
- Premature infants** and, electroclinical correlations of sharp waves, 30-39
- See also Infants and Neonates
- Primary generalized seizures** and, considerations of secondary temporalization, 161-171
- crossover phenomena in childhood, 75-82
- See also Generalized seizures and Seizures
- Pseudodementia** and, passive listening and task related P300 measurement, 102-107
- Psychiatric disorder** and, AEP in anxiety disorder, 97-101
- AEP in borderline personality disorder, 188-192
- EEG brain mapping, 129
- emotional states with deep EEG recording, 62-63
- P50 findings in schizophrenia, 40-45
- P300 measurement for evaluation of dementia and pseudodementia, 102-107
- Psychological correlates** and, quantitative measurement of delta activity in Alzheimer's disease, 178-182
- closed head injury, 203-210
- Psychomotor seizures** and, consideration of secondary temporalization, 161-171
- third rhythm in the temporal lobe, 83-96
- See also Complex partial seizures
- P300** and, evaluation of dementia and pseudodementia, 102-107
- Quantitative EEG measurement** and, delta activity in Alzheimer's disease, 178-182
- longitudinal findings after acute CO exposure, 217-224
- psychopharmacology, 128-129
- some problems in the clinical use of topographic EEG analysis, 23-29
- See also Topographic brain mapping
- Reflex seizures** and, language-apparent reflex epilepsy, 172-177
- Rolandic seizures** and, crossover phenomena in epileptic syndromes of childhood, 75-82
- Schizophrenia** and, replication and extension of P50 findings, 40-45
- Seizures** and, annual incidence of 6/second

- spike and wave pattern, 71-74
- chronically implanted electrodes, correlation with emotion, 62-63
- closed head injury, 203-210
- crossover phenomena in childhood, 75-82
- EEG correlates, 127-128
- effect of spike and spike-free epochs on topographic brain maps, 150-160
- febrile, recommendations for phenobarbital and EEG, 5-12
- HIV-related encephalitis, 1-4
- introduction to Fred and Erna Gibbs lecture, 2:X
- language-apparent reflex epilepsy, 172-177
- measles, 62
- problems in topographic EEG analysis, 23-29
- Progress in Pediatric Neurology, book review, 4:XIII
- secondary temporalization, 161-171
- sharp waves in premature infants, 30-39
- sleep spindles in epilepsy, 144-149
- thalamic stroke and PLEDs, 211-216
- third rhythm in the temporal lobe, 83-96
- usefulness of extra electrodes, 63
- Senile dementia** and, transient appearance of periodic EEG discharges, 108-111
- See also Alzheimer's disease
- Sharp waves** and, effect of spikes and spike-free epochs on brain maps, 150-160
- electro-clinical correlates of positive and negative sharp waves in the temporal and central areas in premature infants, 30-39
- HIV-related encephalitis, 1-4
- normal neonates, vertex, 13-22
- periodic discharges in senile dementia, 108-111
- See also Spikes
- Six per second spike and wave pattern** and, changes in annual incidence, 71-74
- relationship to measles, 62
- Sleep** and, EEG in neurologically normal neonates, 13-22
- physiological classification of sleep-wake states, Tri-Vesicular model of the brain, 225-235
- sleep-wake cycle and limbic autonomic arousal, 46-61
- spindles in epilepsy, 144-149
- Slow activity** and, acute CO exposure, 217-224
- Alzheimer's disease, 178-182
- coma grading scale, 4:X
- early HIV-1 infection, 131-140
- HIV-related encephalitis, 1-4
- neurologically normal neonates, 13-22
- problems in topographic EEG analysis, 23-29
- senile dementia, 108-111
- spikes and spike-free epochs in brain maps, 150-160
- Somatosensory evoked potential (SEP)** and, brachial plexus injuries, 236-249
- child with normal SEP, recovery of cognition from persistent vegetative state, 141-143
- HIV infection, 193-198
- important abnormalities of SEP in coma, 118-126
- Spectral analysis** and, Gilles de la Tourette syndrome, 250-253
- HIV-related encephalitis, 1-4
- problems in clinical use of topographic EEG analysis, 23-29
- See also Topographic brain mapping
- Spike and wave discharges** and, changes in annual incidence of 6/second spike and wave pattern, 71-74
- considerations of secondary temporalization, 161-171
- crossover phenomena in epileptic syndromes of childhood, 75-82
- EEG correlates, 127-128
- language-apparent reflex epilepsy, 172-177
- Spikes** and, changes in annual incidence, 71-74
- crossover phenomena in epileptic syndromes in childhood, 75-82
- effect of spikes and spike-free epochs on topographic brain maps, 128, 150-160
- language-apparent reflex epilepsy, 172-177
- periodic EEG patterns, 127, 108-111
- PLEDs with thalamic stroke, 211-216
- secondary temporalization, 161-171
- topographic brain maps, 128
- usefulness of extra electrodes, 63
- See also Spike and wave
- Spinal tap** and, management of febrile seizures, 5-12
- Spindles, sleep,** and, epilepsy, 144-149
- Suicide attempt** and, longitudinal quantitative EEG findings after acute CO exposure, 217-224
- Temporal localization** and, closed head injury, 203-210
- changes in the annual incidence of spike discharges, 71-74
- considerations of secondary temporalization, 161-171
- crossover phenomena in epileptic syndromes of childhood, spikes, 75-82
- delta activity in Alzheimer's disease, 178-182
- HIV-related encephalitis, paroxysmal activity, 1-4
- PLEDs and thalamic stroke, 211-216
- sharp waves in premature infants, 30-39
- third rhythm, 83-96
- usefulness of extra electrodes, 63
- Thalamus** and, stroke with PLEDs, 211-216
- Theta activity** and, acute CO exposure, 217-224
- HIV-related encephalitis presenting as convulsive disease, 1-4
- neurologically normal neonates, 13-22
- periodic sharp waves in senile dementia, 108-111

- problems in clinical use of topographic EEG analysis, 23-29
- spikes and spike-free epochs in brain maps, 150-160
- See also Slow activity
- Third rhythm** and, further observations, 83-96
- Three per second spike and wave discharges** and, changes in annual incidence, 71-74
- considerations of secondary temporalization, 161-171
- crossover phenomena in epileptic syndromes in childhood, 75-82
- EEG correlates, 127-128
- language-apparent reflex epilepsy, 172-177
- Tooth pulp evoked potentials (TPEP)** and, multiple sclerosis patients, 183-187
- Topographic brain mapping** and, effect of spikes and spike-free epochs on topographic brain maps, 128, 150-160
- HIV-related encephalitis presenting as convulsant disease, 1-4
- longitudinal quantitative EEG findings after acute carbon monoxide exposure, 217-224
- problems in clinical use of topographic EEG analysis, 23-29
- psychiatry, 129
- psychopharmacology, 128-129
- Tourette syndrome** and, computerized EEG frequency analysis, 250-253
- Traumatic brain injury** and, barbiturate blood levels in clinically brain-dead children, 112-117
- neurodiagnostic testing in patients with closed head injury, 203-210
- SEP in coma, 118-126
- short and long latency auditory evoked potentials, 199-202
- Triphasic waves** and, coma grading scale, 4:X
- senile dementia, 108-111
- Tri-Vesicular brain model** and, physiological classification of sleep-wake states, 225-235
- Vascular disorder** and, PLEDs with thalamic stroke, 211-216
- sharp waves in premature infants, 30-39
- Vegetative state** and, recovery of cognition in a child with normal SEP, 141-143
- Vertex activity** and, neurologically normal neonates, 13-22
- Viral disease**, See AIDS, Encephalitis, HIV and Measles
- Visceral dominance** and, limbic autonomic arousal, 46-61
- Visual evoked potential (VEP)** and, tooth pulp evoked potentials in multiple sclerosis, 183-187

